Domidor Sp. z o.o. Sp. k.
ul. Siewna 18, 31-231 Kraków, POLAND

Factory No 1
ul. Jędrzejowska 74, 29-100 Włoszczowa

Factory No 2
ul. Głowackiego 7a, 29-100 Włoszczowa

tel.: +48 41/ 394 13 70, +48 41/ 394 13 71
fax: 41 394 15 91

e-mail: handlowy@domidor.pl
www.domidor.pl

This catalogue is valid from 15.02.2020

Informations published in the catalogue do not constitute an offer in the context of law.
Producer has law to make changes.
NOTE: *Due to the printing technique the colours in the catalogue may differ from the originals.*
Please ask distributor for the colour samples.

Domidor
door producer



CATALOGUE 2020

INTERIOR DOORS

www.domidor.pl



DOMIDOR

DOMIDOR has got it’s head office in Krakow / Poland and it’s factory located in the centre of Poland in Włoszczowa town 120 km North from Krakow.

We are experienced producer of high quality interior doors. Founder of the company Tadeusz Dudziński has introduced his 50 years experience in industrial joinery production in Poland and abroad. All has started in 1968 in Włoszczowa when “STOLBUD” organization has run largest wooden windows & doors factory in Poland.

Our doors are produced considering as well private houses & residences as public buildings like office centres and hotels. Our products are manufactured with care of environment protection and either of our customers satisfaction.

Our company forms high experienced staff with long production and market experiences using modern and sometimes sophisticated technology and machinery. By combination of these all elements we are flexible organization with approach on the demands of our customers.

Mission of our company is to produce high quality doors and take care of our customers and watch their demands. This is why our activity is concentrated on developing our assortment in terms of design, colour and esthetics, to be able to satisfy expectations of our dear customers.

CONTENT

Before buying a door 4

Engineered door leafs - **PREMIUM LINE DELUX** 5

Engineered door leafs - **LINE NEXT** 8

Painted door leafs flush and glazed 18

Laminated door leafs flush and glazed 22

Hidden door system - SARA 27

Entrance interior doors 28

Entrance interior doors Fire Resistant 30

Accesories and options 31

Door frames 32

Sliding systems 34

Technical informations 35



BEFORE BUYING A DOOR

Interior doors are more than a necessary element of house equipment – they are the essential arrangement detail and have a huge impact on the final reception of the interior composition. That is why it is so important to choose properly their finishing, so that the door would blend in perfectly, and that it would ensure durability and long comfort use, and so that the door meets the investor's expectations.



PAINTED WITH WATER BASED UV LACQUERS – COLOUR RANGE C

Doors made of HDF board, finished with water-based opaque paints, is not only a guarantee of high durability or construction lightness, but extraordinary flexibility in creation of dream space. A rich RAL/NCS palette will allow to create an original door that will easily blend in with your dream arrangement or it will create eye-catching contrast. Everything depends on our imagination! The special advantage of varnished coatings is possibility to renovate it and renew it and so provides long-term usage of the door.



PP POLYPROPYLENE FOILS – COLOUR RANGE B

The base is a polypropylene layer with embossed wood texture or smooth for matt finish. Top side of it is refined by printed layer adequately depicting optical and structural properties close to natural wood or smooth opaque then protected with top lacquer high resistant to abrasion and scratching. PP films will assure high resistance important in public buildings with heavy traffic, where the door are exposed for increased usage. They are also very esthetic finishes. The main features are high resistance to scratching and abrasion, water and staining.



3D FOILS – COLOUR RANGE A

Laminated doors are a perfect solution for those who look for warm colour finished door with look of natural wood. Special printing technique three-dimensional 3D used for this range of foils, enables realistic drawing of different wood species. In the range A there is also white colour foil as an economic alternative to painted finishing. 3D foils provide base abrasion resistance.



ENGINEERED DOOR LEAFS **PREMIUM LINE DELUX**

The Delux line is a proposal for people with sophisticated taste looking for new solutions. They are distinguished by modern Design combined with fashionable and durable finishing materials such as PP films. Models from this line are an elegant element in innovative interiors.

The doors have a reinforced construction due to the use of jointed wood core stiles. Top and bottom construction rails are extended.

ALFA

alaskan oak



D.7 D.5 D.3 D.0

BETA

alpine walnut



D.4 D.3 D.2 D.1

GAMMA

silver oak



D.6 D.4 D.2 D.0

DELTA

montana oak



D.5 D.3 D.2 D.0



CONSTRUCTION: rebated or non-rebated, vertical stiles made of jointed wood, horizontal rails made of MDF, milky glass

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33

AVAILABLE DECORS

COLOUR RANGE B: PP foils, in wood decors embossed wood texture or smooth surface for semi matt; high resistance to scratch and abrasion, water and staining



white semi matt | natur oak | montana oak | alaskan oak | silver oak | alpine walnut



vertical stiles made of jointed wood



rebated door
- hinge with regulation



non-rebated door
- hidden hinge with 3D regulation



ENGINEERED DOOR LEAFS **LINE NEXT**

The line was created as a combination of modern design with the timeless classic finishing. The intriguing universality of this collection in an extremely solid and durable construction will satisfy every test . NEXT doors line thanks to carefully selected glazing and colors of laminate will allow revive and warm up every interior.



CONSTRUCTION: rebated or non-rebated, vertical stiles and horizontal rails made of MDF, milky glass, model MIRROR 02 milky glass VSG 2.2.1, model LUNA milky glass VSG 4.4.1, model NEGRO black glass planilaque.

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33

IVO

nevada walnut



C.3 C.2 C.1 C.0

ENZO

san remo oak



C.4 C.3 C.1 C.0

AVAILABLE DECORS

COLOUR RANGE A: 3D foils with wood decor design or smooth white, base resistance to abrasion and scratch.



white, siberian larch, frozen oak, polish oak, sonoma oak, san remo oak, royal oak

concrete decor, truffle oak, graphite oak, catania oak, nevada walnut, premium walnut

ALVA

white



A.4 A.3 A.1 A.0

LUCA

truffle oak



C.4 C.3 C.1 C.0

ENGINEERED DOOR LEAFS – **LINE NEXT**

LIDO

siberian larch



D.4 D.3 D.2 D.0

XAVI

frozen oak



E.4 E.3 E.1 E.0

AVAILABLE DOOR VERSIONS



opening sliding

AVAILABLE DOOR WIDTH



60-90

AVAILABILITY TO CUT SHORT



up to 4cm

GLASS THICKNESS



4 mm

VENTILATION SOLUTIONS



ventilation undercut

CONSTRUCTION: rebated or non-rebated, vertical stiles and horizontal rails made of MDF, milky glass, model MIRROR 02 milky glass VSG 2.2.1, model LUNA milky glass VSG 4.4.1, model NEGRO black glass planilaque.

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33

AVAILABLE DECORS

COLOUR RANGE A: 3D foils with wood decor design or smooth white, base resistance to abrasion and scratch.



white siberian larch frozen oak polish oak sonoma oak san remo oak royal oak



concrete decor truffle oak graphite oak catania oak nevada walnut premium walnut

FABIO

catania oak



C.5



C.3



C.1



C.0

AMADO

premium walnut



A.5



A.4



A.1



A.0

MAGMA

royal oak



C.5



C.4



C.1



C.0

MAXIM

sonoma oak



D.5



D.4



D.2



D.0



CONSTRUCTION: rebated or non-rebated, vertical stiles and horizontal rails made of MDF, milky glass, model MIRROR 02 milky glass VSG 2.2.1, model LUNA milky glass VSG 4.4.1, model NEGRO black glass planilaque.

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33

AVAILABLE DECORS

COLOUR RANGE A: 3D foils with wood decor design or smooth white, base resistance to abrasion and scratch.

white



siberian larch



frozen oak



polish oak



sonoma oak



san remo oak



royal oak



concrete decor



truffle oak



graphite oak



catania oak



nevada walnut



premium walnut

GASPAR

graphite oak



E.6 E.5 E.2 E.0

SILVIO

white



C.6 C.5 C.2 C.0

FABIANO

concrete decor



D.7 D.6 D.3 D.0

GRAFEN

graphite oak



C.4 C.3 C.1 C.0

AVAILABLE DOOR VERSIONS



opening sliding

AVAILABLE DOOR WIDTH



60-90

AVAILABILITY TO CUT SHORT



up to 4cm

GLASS THICKNESS



4 mm

VENTILATION SOLUTIONS



ventilation undercut

CONSTRUCTION: rebated or non-rebated, vertical stiles and horizontal rails made of MDF, milky glass, model MIRROR 02 milky glass VSG 2.2.1, model LUNA milky glass VSG 4.4.1, model NEGRO black glass planilaque.

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33

AVAILABLE DECORS

COLOUR RANGE A: 3D foils with wood decor design or smooth white, base resistance to abrasion and scratch.



white siberian larch frozen oak polish oak sonoma oak san remo oak royal oak



concrete decor truffle oak graphite oak catania oak nevada walnut premium walnut

NEGRO

royal oak



D.5 D.4 D.2 D.0

INOX

premium walnut



C.4 C.3 C.1 C.0

MIRROR

dab royal



01 mirror filling

frozen oak



02 glass VSG 2.2.1

white



03 blackboard filling

graphite oak



04 magnetic board

SOLO

white



01



00

LUNA

premium walnut



00

white



01

AVAILABLE DOOR VERSIONS



opening sliding

AVAILABLE DOOR WIDTH



60-90

AVAILABILITY TO CUT SHORT



up to 4cm

GLASS THICKNESS



4 mm

VENTILATION SOLUTIONS



ventilation undercut

CONSTRUCTION: rebated or non-rebated, vertical stiles and horizontal rails made of MDF, milky glass, model MIRROR 02 milky glass VSG 2.2.1, model LUNA milky glass VSG 4.4.1, model NEGRO black glass planilaque.

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33

AVAILABLE DECORS

COLOUR RANGE A: 3D foils with wood decor design or smooth white, base resistance to abrasion and scratch.

white



siberian larch



frozen oak



polish oak



sonoma oak



san remo oak



royal oak



concrete decor



truffle oak



graphite oak



catania oak



nevada walnut



premium walnut

PAINTED DOOR LEAFS



AVAILABLE DOOR VERSIONS



opening sliding

AVAILABLE DOOR WIDTH



60-90

AVAILABILITY TO CUT SHORT



up to 4cm

GLASS THICKNESS



4 mm

DOOR LEAF FILLING



honey comb LDF board

VENTILATION SOLUTIONS



ventilation undercut

ventilation sleeves - door width „60", „70" - 4 pcs.

ventilation sleeves - door width „80", „90" - 5 pcs.

CONSTRUCTION: rebated or non-rebated, HDF boards on frame construction, frame made of MDF or pine wood, standard door filling is honey comb or in option full LDF board filling or chipboard filling

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 2 or 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33

GLAMOUR

RAL 9016



A.0



A.2



A.4



A.6



B.2



B.4



B.6



B.8



C.1



C.2



C.3



C.5

AVAILABLE PAINT COLOURS IN STANDARD

COLOUR RANGE C: water based UV lacquers , good resistance to abrasion and scratch. Other colours then specified available as an option due RAL or NCS charts.

RAL 9016

RAL 9010



RAL 7047



RAL CHART COLOURS IN OPTION

NORD

RAL 9016



S.3



S2



S1



P

TREND

RAL 9016



S.3



S.2



S.1



P

EURO

RAL 9016



S.3



S.2



S.1



P

CAPRI

RAL 9016



S2



S1



P

DOMINO

RAL 9016



S.4



S.2



P

CAMDEN*

RAL 9016



S.3



S.2



S.1



P

** model Camden has got embossed wood texture*

AVAILABLE DOOR VERSIONS



opening sliding

AVAILABLE DOOR WIDTH



60-90

AVAILABILITY TO CUT SHORT



up to 4cm

GLASS THICKNESS



4 mm

DOOR LEAF FILLING



honey comb

VENTILATION SOLUTIONS



ventilation undercut

ventilation sleeves - door width „60°, „70° - 4 pcs.

ventilation sleeves - door width „80°, „90° - 5 pcs.

AVAILABLE PAINT COLOURS IN STANDARD

COLOUR RANGE C: water based UV lacquers , good resistance to abrasion and scratch. Other colours then specified available as an option due RAL or NCS charts.

RAL 9016

RAL CHART COLOURS IN OPTION**

*** available only for flush unglazed door leafs*

LAMINATED DOOR LEAFS



AVAILABLE DOOR VERSIONS



opening sliding

AVAILABLE DOOR WIDTH



60-90

AVAILABILITY TO CUT SHORT



up to 4cm

GLASS THICKNESS



4 mm

DOOR LEAF FILLING



honey comb LDF board

VENTILATION SOLUTIONS



ventilation undercut

ventilation sleeves - door width „60", „70" - 4 pcs.

ventilation sleeves - door width „80", „90" - 5 pcs.

CONSTRUCTION: rebated or non-rebated, HDF boards on frame construction, frame made of MDF or pine wood, standard door filling is honey comb or in option full LDF board filling or chipboard filling

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 2 or 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33

DECO

frozen oak



P

royal oak



P

concrete decor



P

graphite oak



P

INES

sonoma oak



S.3



S.2



S.1



P

AVAILABLE DECORS

COLOUR RANGE A: 3D foils with wood decor design or smooth white, base resistance to abrasion and scratch.

white



siberian larch



frozen oak



polish oak



sonoma oak



san remo oak



royal oak



concrete decor



truffle oak



graphite oak



catania oak



nevada walnut



premium walnut

CASTEL

royal oak



S.3 S.2 S.1 P

VERSO

frozen oak



S.3

S.1

PRIMO

premium walnut



S.3



S.1

MADEO I

concrete decor



S.3



S.1

MADEO II

dąb sonoma



S.3



S.1

KWADRO

polish oak



S.3



S.1

ARCO

orzech premium



S.3



S.1

AVAILABLE DOOR VERSIONS



opening sliding

AVAILABLE DOOR WIDTH



60-90

AVAILABILITY TO CUT SHORT



up to 4cm

GLASS THICKNESS



4 mm

DOOR LEAF FILLING



honey comb LDF board

VENTILATION SOLUTIONS



ventilation undercut

ventilation sleeves - door width „60", „70" - 4 pcs.

ventilation sleeves - door width „80", „90" - 5 pcs.

CONSTRUCTION: rebated or non-rebated, HDF boards on frame construction, frame made of MDF or pine wood, standard door filling is honey comb or in option full LDF board filling or chipboard filling

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 2 or 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33

AVAILABLE DECORS

COLOUR RANGE A: 3D foils with wood decor design or smooth white, base resistance to abrasion and scratch.

white



siberian larch



frozen oak



polish oak



sonoma oak



san remo oak



royal oak



concrete decor



truffle oak



graphite oak



catania oak



nevada walnut



premium walnut

DELI

san remo oak



S.3



S.1

MARCO

frozen oak



S.3



S.1

UNO

sonoma oak



S.3



S.1

STILO

graphite oak



S.3



S.1



HIDDEN DOOR SYSTEM **SARA**

The Sara hidden door system is an innovative solution which gives the opportunity to create modern interior. The door leaf is available in a primed version, prepared for painting or wallpapering in the color of the walls or ready painted for selected RAL colour. Door leaf makes set with a special aluminum door frame which after assembly and installation of boards is invisible.
DOOR LEAF CONSTRUCTION: MDF frame, honeycomb filling, HDF top boards primed or painted, available widths 60, 70, 80, 90 cm.
ACCESSORIES INCLUDED: key lock or toilet lock, Aluminum door frame , 2 pieces of hidden hinges with 3D regulation, seal, assembly kit.

DIMENSIONS FOR OUTSIDE DOOR OPENING

Door leaf width Sd [mm]	Instalation hole width So [mm]	Door frame total width Sz [mm]	Daylight opening width Sp [mm]
720	800	791	701
820	900	891	801
920	1000	991	901
Door leaf hight Hd [mm]	**Instalation hole hight Ho [mm]**	**Door frame total hight Hz [mm]**	**Daylight opening hight Hp [mm]**
2020	2080	2063	2018

DIMENSIONS FOR INSIDE DOOR OPENING

Door leaf width Sd [mm]	Instalation hole width So [mm]	Door frame total width Sz [mm]	Daylight opening width Sp [mm]
720	800	791	661
820	900	891	761
920	1000	991	861
Door leaf hight Hd [mm]	**Instalation hole hight Ho [mm]**	**Door frame total hight Hz [mm]**	**Daylight opening hight Hp [mm]**
2032	2080	2075	2030



CONSTRUCTION: rebated or non-rebated, HDF boards on frame construction, frame made of MDF or pine wood, standard door filling is honey comb or in option full LDF board filling or chipboard filling

ACCESSORIES INCLUDED: in standard key lock or toilet lock,
- rebated door leafs: 2 or 3 hinges
- non-rebated door leafs: magnetic lock for an extra charge, hidden hinges are equipment of dedicated door frame

DEDICATED DOOR FRAMES:
- Rebated: fixed or adjustable page. 32-33
- Non-rebated: fixed or adjustable page. 32-33







ENTRANCE INTERIOR DOORS & TECHNICAL DOORS



Entrance interior doors Preston and Hektor series are dedicated to residential blocks and public buildings. They can be used either as an entrance door from the internal corridor or an internal staircase to the flat or apartment or as an office room door or hotel room door.

Preston door versions, installed as complete set with fixed/block frame or adjustable frame and with threshold or automatic door bottom seal, has got acoustic insulation index Rw = 27 dB.

Hektor door version, installed as complete set with fixed/block frame and threshold or automatic door bottom seal, has got acoustic insulation index Rw = 32 dB.

AVAILABLE DECORS

COLOUR RANGE A: 3D foils with wood decor design or smooth white, base resistance to abrasion and scratch.


frozen oak


polish oak


sonoma oak


dąb nordycki


concrete decor


graphite oak


catania oak


premium walnut

COLOUR RANGE B: PP foils, in wood decors embossed wood texture or smooth surface for semi matt; high resistance to scratch and abrasion, water and staining

white semi matt


natur oak


alpine walnut


wzór 0


wzór 1


wzór 2


wzór 3


wzór 4


wzór 5

PRESTON

CONSTRUCTION: rebated door leaf, thickness 40mm, MDF frame , HDF top boards, filling is LDF insulation board, door frame made of MDF laminated in same colour as door leaf.

ACCESSORIES INCLUDED: two locks (main and upper lock), 3 door hinges, anti-burglary pins, viewer

ACOUSTIC DOOR


index 27 dB

HEKTOR

CONSTRUCTION: rebated door leaf, thickness 46 mm, wooden/MDF frame , HDF top boards, filling is LDF insulation board, door frame made of jointed wood laminated in same colour as door leaf.

ACCESSORIES INCLUDED: two locks (main and upper lock), 3 door hinges, anti-burglary pins, viewer, additional seal

ACOUSTIC DOOR


index 32 dB



HALSPAN EI30, EI60 – 32 dB*

Fire resistant doors HALSPAN can be used as internal entrance doors. Acoustic insulation index is 32 dB. To meet the requirements of the Polish Standard doors must be installed together with a dedicated door frame, door closer, a handle and cylinder.

CONSTRUCTION: the filling is a special HALSPAN panel extended on the edges with solid wooden strip. The door leaf thickness for door EI30 is 50mm and for door EI60 is 60 mm.

EQUIPMENT: 3 adjustable hinges, a lock with cylinder hole, fire seal and swelling smokeproof seal, automatic door bottom seal, fixed wooden door frame with fire seal, door closer up on extra charge.

ACUSTIC DOORS
index 32 dB

FIRE DOORS
index EI30 / EI60

DIMENSIONS OF INTERIOR FIRE DOORS

DOOR WIDTH	A	B	C	D
„80"	860	817	925	955
„90"	960	917	1025	1055
„100"	1060	1017	1125	1155





ACCESORIES FOR FIRE DOORS

DOOR CLOSER D900




HANDLE DALIA WB


HANDLE UNO


LOCK PLATE WB


HANDLE LUKA


LOCK PLATE WB

ACCESSORIES

ACCESSORIES FOR ENTRANCE DOORS


handle FOKUS


lock plate FOKUS


cylinder key/key


cylinder key/knob


handle MIRO


lock plate MIRO


cylinder key/key


cylinder key/knob


automatic door bottom seal


aluminum threshold

ACCESSORIES FOR INTERIOR DOORS


magnetic lock


hidden hinge 3D – equipment of the non-rebated door frames


hook lock for sliding door


stainless steel round grip for sliding door



metal ventilation sleeves



aluminum hinge covers

M6 - lacquered chrome
M9 - lacquered nickel
M3 - braun grafiatto

HANDLE BOXER-QR BLACK




KEY/TOILET LOCK PLATE

HANDLE BOXER-QR m45




KEY/TOILET LOCK PLATE

HANDLE ENE-QR
M6/M9




KEY/TOILET LOCK PLATE

HANDLE QUBIK-QR
M6, M8, M9




KEY/TOILET LOCK PLATE

HANDLE ROMANA-R
M6, M8, M9




KEY/TOILET LOCK PLATE

DOOR FRAMES

FIXED DOOR FRAMES
REBATED / NON-REBATED



fixed door frame



DOOR WIDTH	A	B	C	D	E
„60"	644	618	602	690	720
„70"	744	718	702	790	820
„80"	844	818	802	890	920
„90"	944	918	902	990	1020
„100"	1044	1018	1002	1090	1120





ADJUSTABLE DOOR FRAMES
NON-REBATED DOORS BR



non-rebated adjustable door frame





DOOR WIDTH	A	B	C	D	E	F*
„60"	618	600	624	660	700	744
„70"	718	700	724	760	800	844
„80"	818	800	824	860	900	944
„90"	918	900	924	960	1000	1044
„100"	1018	1000	1024	1060	1100	1144

** concerns to frame with architraves width 60mm*



ARCHITRAVE 80 mm



ARCHITRAVE 60 lub 80* mm



** 8cm architraves are an option*
*** excluding range 80 -100*

Domidor door producer

ADJUSTABLE DOOR FRAMES
REBATED / TUNEL FOR SLIDING DOOR



rebated adjustable door frame





DOOR WIDTH	A	B	C	D	E	F	G*
„60"	644	618	600	624	644	684	744
„70"	744	718	700	724	744	784	844
„80"	844	818	800	824	844	884	944
„90"	944	918	900	924	944	984	1044
„100"	1044	1018	1000	1024	1044	1084	1144

** concerns to frame with architraves width 60mm*



ADJUSTABLE DOOR FREAME
architraves 60 mm / 80 mm



ARCHITRAVE 80 mm



ARCHITRAVE 60 lub 80* mm



** 8cm architraves are an option*
*** excluding range 80 -100*

FIXED STEEL FRAME
FOR ENTRANCE DOORS







SLIDING SYSTEMS



ON-WALL SLIDING SYSTEM



Sliding system set includes:
aluminum rail, 2 roller tracks,
installation kit.

1. wall
2. instalation rail
3. masking trim
4. door leaf non-rebated



IN-WALL SLIDING SYSTEM (CASSETTE)

System includes: door leaf non-rebated
metal cassette single or double



TECHNICAL INFORMATIONS

DOOR LEAFS DIMENSIONS

INTERIOR / ENTRANCE DOOR LEAF*



* *Element concerns only entrance doors with double locks*

INTERIOR DOOR WIDTH	SZ - door leaf total width	SW - door leaf inner width
„60"	644	618
„70"	744	718
„80"	844	818
„90"	944	918
„100"	1044	1018
ENTRANCE DOOR WIDTH	**SZ - door leaf width**	**SW - door leaf inner width**
„80"	844	818
„90"	944	918

ENTRANCE DOOR LEAF HEKTOR



WOODEN DOOR FRAME FOR HEKTOR



DOOR WIDTH	SZ - door leaf total width	SW - door leaf inner width
„80"	844	818
„90"	944	918

REBATED DOOR



NON-REBATED DOOR



AVAILABLE LOCKS



OPENING DIRECTIONS

SINGLE DOOR



DOUBLE DOOR LEFT



DOUBLE DOOR RIGHT



GLASS INSTALATION

